



KONICA MINOLTA



OFFICE SYSTEMS LINE-UP

May 2022

Giving Shape to Ideas

INDEX



Colour A3 multifunctional

| | |
|---------------------|----|
| bizhub C257i | 4 |
| bizhub C250i | 5 |
| bizhub C300i | 6 |
| bizhub C360i | 7 |
| bizhub C450i | 8 |
| bizhub C550i | 9 |
| bizhub C650i | 10 |
| bizhub C750i | 11 |

Colour A4 multifunctional

| | |
|----------------------|----|
| bizhub C3320i | 12 |
| bizhub C3350i | 13 |
| bizhub C4050i | 14 |

Colour A4 printer

| | |
|----------------------|----|
| bizhub C3300i | 15 |
| bizhub C4000i | 16 |

Black & White A3 multifunctional

| | |
|--------------------|----|
| bizhub 255i | 17 |
| bizhub 227 | 18 |
| bizhub 287 | 19 |
| bizhub 367 | 20 |
| bizhub 300i | 21 |
| bizhub 360i | 22 |
| bizhub 450i | 23 |
| bizhub 550i | 24 |
| bizhub 650i | 25 |
| bizhub 750i | 26 |
| bizhub 958 | 27 |

Black & White A4 multifunctional

| | |
|---------------------|----|
| bizhub 4020i | 28 |
| bizhub 5020i | 29 |
| bizhub 4050i | 30 |
| bizhub 4750i | 31 |

Black & White A4 printer

| | |
|---------------------|----|
| bizhub 4700i | 32 |
| bizhub 4000i | 33 |
| bizhub 5000i | 34 |

WORKING ENVIRONMENTS IN STEP WITH TODAY'S WORLD

MAKING OFFICES MORE EFFICIENT

From small businesses to big enterprises, companies today strive to find the individual document solution best suited to their specific and diverse business needs. The comprehensive services, systems and solutions that Konica Minolta provides cover the requirements of the entire document life cycle in the office. Our exclusively designed range of highly efficient and perfectly compatible multifunctionals extends from entry-level office devices, including laser printers and small all-in-ones, to cutting-edge, high-performance production printing systems. Naturally, you always have the choice of colour as well as monochrome alternatives.

In combination with intelligent software applications, the innovative multifunctional systems from Konica Minolta bring together both digital and paper-based worlds. They therefore accommodate all the demands of the modern business with smooth workflows that help companies save time and money. Our competent solutions effectively enhance and accelerate our customers' business development.



INTUITIVE OPERABILITY

Operate the bizhub like a smartphone or tablet with fully customised user interface



PRODUCTIVITY

Reliability, high-speed scanning and printing, combined with powerful finishing functions



MOBILE CONNECTIVITY

Print anytime from anywhere with Konica Minolta's innovative mobile technologies



ACCESSIBILITY

Seamless operation of your bizhub device and valuable support for easier access and handling to suit users with special needs



SECURITY

Secure network integration, data encryption, HDD overwrite, and advanced user authentication



SERVICES

Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote set-up



APPLICATION ECOSYSTEM

Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio

bizhub C257i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|--------------------------------------|--|
| System speed A4 | Up to 25/25 ppm (mono/colour) |
| System speed A3 | Up to 12/12 ppm (mono/colour) |
| 1st page out time A4 | 6.8/8.4 sec. (mono/colour) |
| Warm-up time | Approx. 20 sec. (mono/colour) ¹ |
| Panel size/resolution | 7" / 800 x 480 |
| System memory | 6,144 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder (optional) | Up to 130 originals; A5-A3; 35-128 g/m ² ; RADF |
| Printable paper size | A6-A3; customized paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 60-256 g/m ² |
| Paper input capacity | 1,100 sheets / 3,600 sheets (standard/max) |
| Automatic duplexing | A5-A3; 60-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|--|
| Scan speed | Up to 55/55 ipm in simplex (mono/colour) Up to 20/20 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX; PDF/A optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATION

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing



Corner Stapling (offline)

bizhub C250i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|--------------------------------------|---|
| System speed A4 | Up to 25/25 ppm (mono/colour) |
| System speed A3 | Up to 15/15 ppm (mono/colour) |
| 1st page out time A4 | 5.2/6.9 sec. (mono/colour) |
| Warm-up time | Approx. 11/13 sec. (mono/colour) ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 8,192 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder (optional) | Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets / 6,650 sheets (standard/max) |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |

PRINTER SPECIFICATIONS

| | |
|-----------------|--|
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct |
|-----------------|--|

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATIONS

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner stapling



Corner Stapling (offline)



Two-point stapling



Two-hole punching



Four-hole punching



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letterfold



Booklet



Offset sorting



Banner printing

bizhub C300i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|--------------------------------------|---|
| System speed A4 | Up to 30/30 ppm (mono/colour) |
| System speed A3 | Up to 15/15 ppm (mono/colour) |
| 1st page out time A4 | 5.0/6.7 sec. (mono/colour) |
| Warm-up time | Approx. 11/13 sec. (mono/colour) ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 8,192 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder (optional) | Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets / 6,650 sheets (standard/max) |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |

PRINTER SPECIFICATIONS

| | |
|-----------------|--|
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct |
|-----------------|--|

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATIONS

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner stapling



Corner Stapling (offline)



Two-point stapling



Two-hole punching



Four-hole punching



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letterfold



Booklet



Offset sorting



Banner printing

bizhub C360i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|--------------------------------------|---|
| System speed A4 | Up to 36/36 ppm (mono/colour) |
| System speed A3 | Up to 18/18 ppm (mono/colour) |
| 1st page out time A4 | 4.6/6.1 sec. (mono/colour) |
| Warm-up time | Approx. 12/13 sec. (mono/colour) ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 8,192 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder (optional) | Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets / 6,650 sheets (standard/max) |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |

PRINTER SPECIFICATIONS

| | |
|-----------------|--|
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct |
|-----------------|--|

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATIONS

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner stapling



Corner Stapling (offline)



Two-point stapling



Two-hole punching



Four-hole punching



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letterfold



Booklet



Offset sorting



Banner printing

bizhub C450i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|--|
| System speed A4 | Up to 45/45 ppm (mono/colour) |
| System speed A3 | Up to 22/22 ppm (mono/colour) |
| 1st page out time A4 | 3.8/5.0 sec. (mono/colour) |
| Warm-up time | Approx. 15/17 sec. (mono/colour) ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 8,192 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder | Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets / 6,650 sheets (standard/max) |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |

PRINTER SPECIFICATIONS

| | |
|-----------------|--|
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct |
|-----------------|--|

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATIONS

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner stapling



Corner Stapling (offline)



Two-point stapling



Two-hole punching



Four-hole punching



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letterfold



Booklet



Offset sorting



Z-fold



Banner printing

bizhub C550i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|--|
| System speed A4 | Up to 55/55 ppm (mono/colour) |
| System speed A3 | Up to 27/27 ppm (mono/colour) |
| 1st page out time A4 | 3.3/4.3 sec. (mono/colour) |
| Warm-up time | Approx. 14/16 sec. (mono/colour) ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 8,192 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder | Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets / 6,650 sheets (standard/max) |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |

PRINTER SPECIFICATIONS

| | |
|-----------------|--|
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct |
|-----------------|--|

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATIONS

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner stapling



Corner Stapling (offline)



Two-point stapling



Two-hole punching



Four-hole punching



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letterfold



Booklet



Offset sorting



Z-fold



Banner printing

bizhub C650i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|--|
| System speed A4 | Up to 65/65 ppm (mono/colour) |
| System speed A3 | Up to 32/32 ppm (mono/colour) |
| 1st page out time A4 | 2.8/3.8 sec. (mono/colour) |
| Warm-up time | Approx. 15/17 sec. (mono/colour) ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 8,192 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder | Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets / 6,650 sheets (standard/max) |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |

PRINTER SPECIFICATIONS

| | |
|-----------------|--|
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct |
|-----------------|--|

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATIONS

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner stapling



Corner Stapling (offline)



Two-point stapling



Two-hole punching



Four-hole punching



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letterfold



Booklet



Offset sorting



Z-fold



Banner printing

bizhub C750i

COLOUR A3 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Productivity



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|---|
| System speed A4 | Up to 75/70 ppm (mono/colour) |
| System speed A3 | Up to 37/35 ppm (mono/colour) |
| 1st page out time A4 | 2.8/3.8 sec. (mono/colour) |
| Warm-up time | Approx. 17/18 sec. (mono/colour) ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 8,192 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder | Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF |
| Printable paper size | A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 3,650 sheets / 6,650 sheets (standard/max) |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|---|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATION

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing



Corner Stapling (offline)

bizhub C3320i

COLOUR A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|---|
| System speed A4 | Up to 33/33 ppm (mono/colour) |
| 1st page out time A4 | 6.0/7.2 sec. (mono/colour) |
| Warm-up time | Approx. 13/15 sec. (mono/colour) ¹ |
| Panel size/resolution | 7" / 800 x 480 |
| System memory | 4,096 MB (standard/max) |
| System hard drive | 16 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder | Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-210 g/m ² |
| Paper input capacity | 600 sheets / 1,100 sheets (standard/max) |
| Automatic duplexing | A4; 60-210 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|---|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 28/28 ipm in simplex (mono/colour) Up to 56/56 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX |

FAX SPECIFICATIONS

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner Stapling (offline)

bizhub C3350i

COLOUR A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|---|
| System speed A4 | Up to 33/33 ppm (mono/colour) |
| 1st page out time A4 | 5.6/6.3 sec. (mono/colour) |
| Warm-up time | Approx. 13/15 sec. (mono/colour) ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 5,120 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder | Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-210 g/m ² |
| Paper input capacity | 600 sheets / 1,600 sheets (standard/max) |
| Automatic duplexing | A4; 60-210 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|---|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 45/45 ipm in simplex (mono/colour) Up to 90/90 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATIONS

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner
Stapling
(offline)

bizhub C4050i

COLOUR A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|---|
| System speed A4 | Up to 40/40 ppm (mono/colour) |
| 1st page out time A4 | 4.8/5.4 sec. (mono/colour) |
| Warm-up time | Approx. 13/15 sec. (mono/colour) ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 5,120 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder | Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-210 g/m ² |
| Paper input capacity | 600 sheets / 1,600 sheets (standard/max) |
| Automatic duplexing | A4; 60-210 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|---|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 45/45 ipm in simplex (mono/colour) Up to 90/90 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATIONS

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner Stapling (offline)

bizhub C3300i

COLOUR A4 PRINTER



Intuitive operability



Mobile connectivity



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|------------------------|---|
| System speed A4 | Up to 33/33 ppm (mono/colour) |
| 1st page out time A4 | 8.7/9.6 sec. (mono/colour) |
| Warm-up time | Approx. 13/15 sec. (mono/colour) ¹ |
| Panel size/resolution | 7" / 800 x 480 |
| System memory | 3,072 MB (standard/max) |
| System hard drive | 8 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-210 g/m ² |
| Paper input capacity | 600 sheets / 1,100 sheets (standard/max) |
| Automatic duplexing | A4; 60-210 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: WiFi Direct |

FINISHING FUNCTIONALITIES



Corner
Stapling
(offline)

bizhub C4000i

COLOUR A4 PRINTER



Intuitive operability



Mobile connectivity



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|------------------------|---|
| System speed A4 | Up to 40/40 ppm (mono/colour) |
| 1st page out time A4 | 8.0/8.7 sec. (mono/colour) |
| Warm-up time | Approx. 13/15 sec. (mono/colour) ¹ |
| Panel size/resolution | 7" / 800 x 480 |
| System memory | 4,096 MB (standard/max) |
| System hard drive | 8 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-210 g/m ² |
| Paper input capacity | 600 sheets / 1,600 sheets (standard/max) |
| Automatic duplexing | A4; 60-210 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|---|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct |

FINISHING FUNCTIONALITIES



Corner Stapling (offline)

bizhub 225i

BLACK & WHITE A3 MULTIFUNCTIONAL



Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|--------------------------------------|--|
| System speed A4 | Up to 22 ppm |
| System speed A3 | Up to 8 ppm |
| 1st page out time A4 | 6.5 sec. |
| Warm-up time | Approx. 15 sec. ¹ |
| Panel size/resolution | 5 line LCD / 128 x 64 |
| System memory | 256 MB (standard/max) |
| Interface | 10/100-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n (optional) |
| Automatic document feeder (optional) | Up to 130 originals; A5-A3; 35-128 g/m ² ; RADF |
| Printable paper size | A5-A3; customized paper sizes |
| Printable paper weight | 64-157 g/m ² |
| Paper input capacity | 350 sheets / 1,350 sheets (standard/max) |
| Automatic duplexing | A5-A3; 64-90 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|---------------|
| Print resolution | 600 x 600 dpi |
| Page description language | GDI |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-999 |
| Magnification | 25-400% in 1.0% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 55/20 ipm in simplex (mono/colour) Up to 18/12 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF |

FAX SPECIFICATION

| | |
|------------------|---------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax |

FINISHING FUNCTIONALITIES



Corner
Stapling
(offline)

bizhub 227

BLACK & WHITE A3 MULTIFUNCTIONAL



Intuitive
operability



Mobile
connectivity



Security



Application
ecosystem



Services



Accessibility



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|--------------------------------------|--|
| System speed A4 | Up to 22 ppm |
| System speed A3 | Up to 14 ppm |
| 1st page out time A4 | 5.3 sec. |
| Warm-up time | Approx. 20 sec. ¹ |
| Panel size/resolution | 7" / 800 x 480 |
| System memory | 2,048 MB / 4,096 MB (standard/max) |
| System hard drive | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder (optional) | Up to 100 originals; A6-A3; 35-128 g/m ² ; RADF |
| Printable paper size | A5-A3; customised paper sizes |
| Printable paper weight | 60-220 g/m ² |
| Paper input capacity | 1,100 sheets / 3,600 sheets (standard/max) |
| Automatic duplexing | A5-A3; 60-209 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 45/45 ipm in simplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATIONS

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner
stapling



Two-point
stapling



Two-hole
punching



Four-hole
punching



Combined
mixplex/
mixmedia



Half-fold



Sheet
insertion



Letterfold



Booklet



Offset
sorting

bizhub 287

BLACK & WHITE A3 MULTIFUNCTIONAL



Intuitive
operability



Mobile
connectivity



Security



Application
ecosystem



Services



Accessibility



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|--------------------------------------|--|
| System speed A4 | Up to 28 ppm |
| System speed A3 | Up to 14 ppm |
| 1st page out time A4 | 5.3 sec. |
| Warm-up time | Approx. 20 sec. ¹ |
| Panel size/resolution | 7" / 800 x 480 |
| System memory | 2,048 MB / 4,096 MB (standard/max) |
| System hard drive | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder (optional) | Up to 100 originals; A6-A3; 35-128 g/m ² ; RADF |
| Printable paper size | A5-A3; customised paper sizes |
| Printable paper weight | 60-220 g/m ² |
| Paper input capacity | 1,100 sheets / 3,600 sheets (standard/max) |
| Automatic duplexing | A5-A3; 60-209 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 45/45 ipm in simplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATIONS

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner
stapling



Two-point
stapling



Two-hole
punching



Four-hole
punching



Combined
mixplex/
mixmedia



Half-fold



Sheet
insertion



Letterfold



Booklet



Offset
sorting

bizhub 367

BLACK & WHITE A3 MULTIFUNCTIONAL



Intuitive
operability



Mobile
connectivity



Security



Application
ecosystem



Services



Accessibility



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|--------------------------------------|--|
| System speed A4 | Up to 36 ppm |
| System speed A3 | Up to 18 ppm |
| 1st page out time A4 | 4.3 sec. |
| Warm-up time | Approx. 20 sec. ¹ |
| Panel size/resolution | 7" / 800 x 480 |
| System memory | 2,048 MB / 4,096 MB (standard/max) |
| System hard drive | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder (optional) | Up to 100 originals; A6-A3; 35-128 g/m ² ; RADF |
| Printable paper size | A5-A3; customised paper sizes |
| Printable paper weight | 60-220 g/m ² |
| Paper input capacity | 1,100 sheets / 3,600 sheets (standard/max) |
| Automatic duplexing | A5-A3; 60-209 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 45/45 ipm in simplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATIONS

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner
stapling



Two-point
stapling



Two-hole
punching



Four-hole
punching



Combined
mixplex/
mixmedia



Half-fold



Sheet
insertion



Letterfold



Booklet



Offset
sorting

bizhub 300i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---|---|
| System speed A4 | Up to 30 ppm |
| System speed A3 | Up to 15 ppm |
| 1st page out time A4 | 5.0 sec. |
| Warm-up time | Approx. 11 sec. ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 8,192 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder (optional) | Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available |
| Printable paper size | A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets / 6,650 sheets (standard/max) |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATION

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punchingCombined
mixplex/
mixmedia

Half-fold

Sheet
insertion,
report

Letter-fold



Booklet

Offset
sortingBanner
printingCorner
Stapling
(offline)

bizhub 360i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---|---|
| System speed A4 | Up to 36 ppm |
| System speed A3 | Up to 18 ppm |
| 1st page out time A4 | 4.6 sec. |
| Warm-up time | Approx. 12 sec. ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 8,192 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder (optional) | Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available |
| Printable paper size | A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets / 6,650 sheets (standard/max) |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 100/100 ipm in simplex (mono/colour) Up to 200/200 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATION

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punchingCombined
mixplex/
report

Half-fold

Sheet
insertion,
report

Letter-fold



Booklet

Offset
sortingBanner
printingCorner
Stapling
(offline)

bizhub 450i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|--|
| System speed A4 | Up to 45 ppm |
| System speed A3 | Up to 22 ppm |
| 1st page out time A4 | 3.8 sec. |
| Warm-up time | Approx. 15 sec. ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 8,192 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder | Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF |
| Printable paper size | A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets / 6,650 sheets (standard/max) |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATION

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punchingCombined
mixplex/
mixmedia

Half-fold

Sheet
insertion,
report

Letter-fold



Booklet

Offset
sorting

Z-fold

Banner
printingCorner
Stapling
(offline)

bizhub 550i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|--|
| System speed A4 | Up to 55 ppm |
| System speed A3 | Up to 27 ppm |
| 1st page out time A4 | 3.3 sec. |
| Warm-up time | Approx. 14 sec. ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 8,192 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder | Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF |
| Printable paper size | A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets / 6,650 sheets (standard/max) |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATION

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punchingCombined
mixplex/
mixmedia

Half-fold

Sheet
insertion,
report

Letter-fold



Booklet

Offset
sorting

Z-fold

Banner
printingCorner
Stapling
(offline)

bizhub 650i

BLACK & WHITE A3 MULTIFUNCTIONAL



Security



Productivity



Sustainability

Intuitive
operabilityApplication
ecosystem

Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|--|
| System speed A4 | Up to 65 ppm |
| System speed A3 | Up to 32 ppm |
| 1st page out time A4 | 2.8 sec. |
| Warm-up time | Approx. 15 sec. ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 8,192 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder | Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF |
| Printable paper size | A6-A3; customized paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 1,150 sheets / 6,650 sheets (standard/max) |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATION

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES

Corner
staplingTwo-point
staplingTwo-hole
punchingFour-hole
punchingCombined
mixplex/
mixmedia

Half-fold

Sheet
insertion,
report

Letter-fold



Booklet

Offset
sorting

Z-fold

Banner
printingCorner
Stapling
(offline)

bizhub 750i

BLACK & WHITE A3 MULTIFUNCTIONAL



Intuitive operability



Security



Application ecosystem



Productivity



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|--|
| System speed A4 | Up to 75 ppm |
| System speed A3 | Up to 37 ppm |
| 1st page out time A4 | 2.8 sec. |
| Warm-up time | Approx. 18 sec. ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 8,192 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder | Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF |
| Printable paper size | A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 3,650 sheets / 6,650 sheets (standard/max) |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATION

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Combined mixplex/mixmedia



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Z-fold



Banner printing



Corner Stapling (offline)

bizhub 958

BLACK & WHITE A3 MULTIFUNCTIONAL



Intuitive operability



Security



Application ecosystem



Productivity



Services



Accessibility



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|--|
| System speed A4 | Up to 95 ppm |
| System speed A3 | Up to 48 ppm |
| 1st page out time A4 | 3.6 sec. |
| Warm-up time | Approx. 22 sec. ¹ |
| Panel size/resolution | 9" / 800 x 480 |
| System memory | 4,096 MB (standard/max) |
| System hard drive | 250 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder | Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF |
| Printable paper size | A6-SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52-300 g/m ² |
| Paper input capacity | 3,650 sheets / 6,650 sheets (standard/max) |
| Automatic duplexing | A6-SRA3; 52-256 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|---|
| Print resolution | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 120/120 ipm in simplex (mono/colour) Up to 240/240 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATIONS

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Four-hole punching



Combined mixplex/mixmedia



Half-fold



Sheet insertion



Letterfold



Booklet



Offset sorting



Z-fold



Banner printing

bizhub 4020i

BLACK & WHITE A4 MULTIFUNCTIONAL



Mobile
connectivity



Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|---|
| System speed A4 | Up to 40 ppm |
| 1st page out time A4 | 9.2 sec. |
| Warm-up time | Approx. 27 sec. ¹ |
| Panel size/resolution | 3.7" / 432 x 240 |
| System memory | 256 MB (standard/max) |
| Interface | 10/100-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n |
| Automatic document feeder | Up to 50 originals; A6-A4; 64-90 g/m ² ; ADF |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-120 g/m ² |
| Paper input capacity | 300 sheets / 1,340 sheets (standard/max) |
| Automatic duplexing | A4; 60-105 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PostScript 3; XPS |
| Mobile printing | Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile); Google Cloud Print; WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|---------------|
| Copy resolution | 600 x 600 dpi |
|-----------------|---------------|

COPIER SPECIFICATIONS

| | |
|---------------|-------------------------------------|
| Multicopy | 1-999 |
| Magnification | 25-400% in 1.0% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|--|
| Scan speed | Up to 24/20 ipm in simplex (mono/colour) |
| Scan resolution | Up to 1,200 x 1,200 dpi |
| File formats | JPEG; TIFF; PDF; XPS; PDF/A |

FAX SPECIFICATIONS

| | |
|------------------|-----------------|
| Fax standard | Super G3 |
| Fax transmission | Analogue; i-Fax |

FINISHING FUNCTIONALITIES



Corner
Stapling
(offline)

bizhub 5020i

BLACK & WHITE A4 MULTIFUNCTIONAL



Mobile
connectivity



Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|--|
| System speed A4 | Up to 50 ppm |
| 1st page out time A4 | 9.5 sec. |
| Warm-up time | Approx. 27 sec. ¹ |
| Panel size/resolution | 4.85" / 432 x 240 |
| System memory | 1,000 MB (standard/max) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n |
| Automatic document feeder | Up to 80 originals; A6-A4; 64-90 g/m ² ; Dualscan ADF |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-120 g/m ² |
| Paper input capacity | 570 sheets / 1,610 sheets (standard/max) |
| Automatic duplexing | A4; 60-105 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PostScript 3; XPS |
| Mobile printing | Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile); Google Cloud Print; WiFi Direct |

COPIER SPECIFICATIONS

| | |
|-----------------|---------------|
| Copy resolution | 600 x 600 dpi |
|-----------------|---------------|

COPIER SPECIFICATIONS

| | |
|---------------|-------------------------------------|
| Multicopy | 1-999 |
| Magnification | 25-400% in 1.0% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|--|
| Scan speed | Up to 50/20 ipm in simplex (mono/colour) Up to 100/34 ipm in duplex (mono/colour) |
| Scan resolution | Up to 1,200 x 1,200 dpi |
| File formats | JPEG; TIFF; PDF; XPS; PDF/A |

FAX SPECIFICATIONS

| | |
|------------------|-----------------|
| Fax standard | Super G3 |
| Fax transmission | Analogue; i-Fax |

FINISHING FUNCTIONALITIES



Corner
Stapling
(offline)

bizhub 4050i

BLACK & WHITE A4 MULTIFUNCTIONAL



**Intuitive
operability**



**Mobile
connectivity**



Security



**Application
ecosystem**



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|---|
| System speed A4 | Up to 40 ppm |
| 1st page out time A4 | 4.8 sec. |
| Warm-up time | Approx. 13 sec. ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 5,120 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; USB 3.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder | Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF |
| Printable paper size | A6-A4; customized paper sizes |
| Printable paper weight | 60-210 g/m ² |
| Paper input capacity | 600 sheets / 1,600 sheets (standard/max) |
| Automatic duplexing | A4; 60-210 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|---|
| Print resolution | 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: Wi-Fi Direct; Mobile Authentication and Pairing (iOS/Android) |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 45/45 ipm in simplex (mono/colour) Up to 90/90 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATION

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



**Corner
Stapling
(offline)**

bizhub 4750i

BLACK & WHITE A4 MULTIFUNCTIONAL



Intuitive operability



Mobile connectivity



Security



Application ecosystem



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|---------------------------|--|
| System speed A4 | Up to 47 ppm |
| 1st page out time A4 | 4.3 sec. |
| Warm-up time | Approx. 13 sec. ¹ |
| Panel size/resolution | 10.1" / 1024 x 600 |
| System memory | 5,120 MB (standard/max) |
| System hard drive | 256 GB SSD (standard) / 1 TB SSD (optional) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; USB 3.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Automatic document feeder | Up to 80 originals; A6-A4; 50-128 g/m ² ; Dualscan ADF |
| Printable paper size | A6-A4; customized paper sizes |
| Printable paper weight | 60-210 g/m ² |
| Paper input capacity | 600 sheets / 1,600 sheets (standard/max) |
| Automatic duplexing | A4; 60-210 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct; Mobile Authentication and Pairing (iOS/Android) |

COPIER SPECIFICATIONS

| | |
|-----------------|-------------------------------------|
| Copy resolution | 600 x 600 dpi |
| Multicopy | 1-9,999 |
| Magnification | 25-400% in 0.1% steps; Auto-zooming |

SCANNER SPECIFICATIONS

| | |
|-----------------|---|
| Scan speed | Up to 45/45 ipm in simplex (mono/colour) Up to 90/90 ipm in duplex (mono/colour) |
| Scan resolution | Up to 600 x 600 dpi |
| File formats | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX |

FAX SPECIFICATION

| | |
|------------------|---------------------------------------|
| Fax standard | Super G3 (optional) |
| Fax transmission | Analogue; i-Fax; Colour i-Fax; IP-Fax |

FINISHING FUNCTIONALITIES



Corner Stapling (offline)

bizhub 4700i

BLACK & WHITE A4 PRINTER



Intuitive operability



Mobile connectivity



Services



Sustainability



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|------------------------|---|
| System speed A4 | Up to 47 ppm |
| 1st page out time A4 | 7.4 sec. |
| Warm-up time | Approx. 17 sec. ¹ |
| Panel size/resolution | 7" / 800 x 480 |
| System memory | 4,096 MB (standard/max) |
| System hard drive | 8 GB (standard) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; USB 3.0; Wi-Fi 802.11 b/g/n/ac (optional) |
| Printable paper size | A6-A4; customized paper sizes |
| Printable paper weight | 60-210 g/m ² |
| Paper input capacity | 600 sheets / 1,600 sheets (standard/max) |
| Automatic duplexing | A4; 60-210 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| Mobile printing | AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct |

FINISHING FUNCTIONALITIES



**Corner
Stapling
(offline)**

bizhub 4000i

BLACK & WHITE A4 PRINTER



Mobile
connectivity



Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|------------------------|---|
| System speed A4 | Up to 40 ppm |
| 1st page out time A4 | 7.2 sec. |
| Warm-up time | Approx. 25 sec. ¹ |
| Panel size/resolution | 1 line LCD |
| System memory | 256 MB (standard/max) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-120 g/m ² |
| Paper input capacity | 570 sheets / 1,610 sheets (standard/max) |
| Automatic duplexing | A4; 60-105 g/m ² |

PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PostScript 3; XPS |
| Mobile printing | Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile); Google Cloud Print; WiFi Direct |

FINISHING FUNCTIONALITIES



Corner
Stapling
(offline)

bizhub 5000i

BLACK & WHITE A4 PRINTER



Mobile
connectivity



Services



TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

| | |
|------------------------|---|
| System speed A4 | Up to 50 ppm |
| 1st page out time A4 | 7.5 sec. |
| Warm-up time | Approx. 25 sec. ¹ |
| Panel size/resolution | 1.8" |
| System memory | 512 MB (standard/max) |
| Interface | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n |
| Printable paper size | A6-A4; customised paper sizes |
| Printable paper weight | 60-120 g/m ² |
| Paper input capacity | 570 sheets / 1,610 sheets (standard/max) |
| Automatic duplexing | A4; 60-105 g/m ² |


PRINTER SPECIFICATIONS

| | |
|---------------------------|--|
| Print resolution | 1200 x 1200 dpi |
| Page description language | PCL 6 (XL3.0); PostScript 3; XPS |
| Mobile printing | Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile); Google Cloud Print; WiFi Direct |

FINISHING FUNCTIONALITIES



Corner
Stapling
(offline)



KONICA MINOLTA

¹ Warm-up time may vary depending on the operating environment and usage

- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.